




# LEICA SUMMILUX-M 75 mm f/1.4

1



A fast lens with unique capabilities : The flare-free and unexcelled subtleties of its color rendition are the result of a meticulous optical computation and unique optical glass. No coma can be discerned in the image area, even at wide-open aperture. Systemic vignetting is remarkably low for a lens of this speed, and distortion is practically undetectable. Its high speed of f/1.4 is ideal for available light photography, especially for natural portraits and for reportage. This lens proves its brilliance especially in difficult, high-contrast situations, such as at concerts or stage performances.

## **Lens shape**








Engineering drawing

**Technical Data**

<b>Angle of view (diagonal, horizontal, vertical)</b>	32°, 27°, 18°
<b>Optical design</b>	<b>Number of elements / groups:</b> 7 / 5 <b>Focal length:</b> 75.0 mm <b>Entrance pupil:</b> 46.1 mm (related to the first lens surface in light direction) <b>Focusing range:</b> 0.75 m to Infinity
<b>Distance setting</b>	<b>Scale:</b> combined meter/feet-increments <b>Smallest object field:</b> 192 mm x 288 mm <b>Highest reproduction ratio:</b> 1:8
<b>Diaphragm</b>	<b>Setting / Type:</b> with clickstops (from serial No. 2 048 701 onwards including half values) <b>Smallest aperture:</b> f/16
<b>Bayonet</b>	Leica M quick-change bayonet
<b>Filter (type)</b>	internal thread for screw-in type filters E 60
<b>Lens hood</b>	built-in, telescopic
<b>Dimensions and weight</b>	<b>Length:</b> 80 mm <b>Largest diameter:</b> 69 mm <b>Weight:</b> approx. 560 g



---

**MTF graphs**


The MTF is indicated both at full aperture and at f/5.6 at long taking distances (infinity). Shown is the contrast in percentage for 5, 10, 20 and 40 lp/mm across the height of the 35 mm film format, for tangential (dotted line) and sagittal (solid line) structures, in white light. The 5 and 10 lp/mm will give an indication regarding the contrast ratio for large object structures. The 20 and 40 lp/mm records the resolution of finer and finest object structures.

— solid line sagittal structures  
- - - dashed line tangential structures

### Distortion



### Vignetting



Distortion is the deviation of the real image height (in the picture) from the ideal image height. The relative distortion is the percentage deviation. The ideal image height results from the object height and the magnification. The image height of 21.6mm is the radial distance between the edge and the middle of the image field for the format 24mm x 36mm. The graph of the effective distortion illustrates the appearance of straight horizontal and vertical lines in the picture.

Vignetting is a continuous decrease of the illumination to the edges of the image field. The graph shows the percentage loss of illumination over the image height. 100% means no vignetting.



— sagittal structures  
- - - tangential structures



# LEICA SUMMILUX-M 75 mm f/1.4




## Depth of field table

Distance Setting [m]	Aperture Stop								Magnification
	1,4	2	2,8	4	5,6	8	11	16	
0,8	0,795 - 0,805	0,794 - 0,806	0,791 - 0,809	0,788 - 0,813	0,783 - 0,818	0,776 - 0,826	0,767 - 0,837	0,753 - 0,854	1/8,74
0,9	0,894 - 0,906	0,892 - 0,908	0,889 - 0,912	0,884 - 0,917	0,878 - 0,924	0,868 - 0,934	0,857 - 0,948	0,839 - 0,971	1/10,1
1	0,992 - 1,008	0,990 - 1,010	0,986 - 1,015	0,980 - 1,021	0,972 - 1,030	0,961 - 1,043	0,947 - 1,060	0,924 - 1,090	1/11,4
1,2	1,189 - 1,211	1,185 - 1,215	1,179 - 1,222	1,170 - 1,231	1,159 - 1,244	1,142 - 1,264	1,122 - 1,290	1,090 - 1,336	1/14,1
1,5	1,482 - 1,518	1,476 - 1,525	1,467 - 1,535	1,453 - 1,550	1,435 - 1,571	1,409 - 1,604	1,378 - 1,647	1,329 - 1,725	1/18,1
2	1,968 - 2,033	1,957 - 2,045	1,940 - 2,064	1,916 - 2,092	1,884 - 2,132	1,838 - 2,194	1,784 - 2,278	1,701 - 2,432	1/24,8
3	2,928 - 3,076	2,902 - 3,105	2,865 - 3,149	2,810 - 3,218	2,741 - 3,314	2,643 - 3,471	2,531 - 3,689	2,364 - 4,121	1/38,2
5	4,801 - 5,217	4,729 - 5,304	4,629 - 5,436	4,487 - 5,648	4,310 - 5,958	4,070 - 6,492	3,805 - 7,314	3,434 - 9,275	1/64,8
10	9,228 - 10,91	8,962 - 11,31	8,605 - 11,94	8,120 - 13,02	7,552 - 14,82	6,837 - 18,70	6,114 - 27,80	5,201 - 149,0	1/132
$\infty$	118,1 - $\infty$	85,34 - $\infty$	60,97 - $\infty$	42,68 - $\infty$	30,50 - $\infty$	21,37 - $\infty$	15,55 - $\infty$	10,71 - $\infty$	1/ $\infty$





# LEICA SUMMILUX-M 75 mm f/1.4





# LEICA SUMMILUX-M 75 mm f/1.4

